


PORTER architecture + design



AB**201**

NORTH ELEVATION 1/4" = 1'-0" (1)



SITE DEVELOPMENT CALCULATIONS					
EXISTING SF	NEW/ADDED SF	TOTAL S			
6,807	0	6,80			
1580	27	16			
0	656	6			
N/A	N/A	N			
N/A	N/A	N			
0	358	3			
532	-532				
0	0				
125	-51				
N/A	N/A	N			
N/A	N/A	N			
2237	458	26			
2237	-198	20			
1149	-284	8			
122	-40				
430	-430				
j; 209	-209				
9	9				
64	-25				
4220	-1177	30			
N/A	N/A	N			
	N/A	N			
32.86 %		29.95			
	EXISTING SF 6.807 1580 0 N/A N/A 0 532 0 125 N/A N/A N/A 2237 2237 2237 1149 2237 2237 2239 9 64 4220 N/A	EXISTING SF NEWADDED SF 6,807 0 0 77 0 97 1580 27 0 656 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			

00000 FI 000 ADE		IO (EAD) 0		
GROSS FLOOR ARE	A & RAT	IO (FAR) C	ALCS.	
	EXISTING SF	NEW/ADDED SF	EXEMPTION	TOTAL SF
TOTAL LOT:	6,807	0	0	6,807
A) FIRST FLOOR CONDITIONED:	1580	27	N/A	1607
B) SECOND FLOOR CONDITIONED:	0	656	N/A	656
C) THIRD FLOOR CONDITIONED:	0	0	N/A	0
D) AREA W/ CEILINGS >15'	0	0	0	0
E) GROUND FLOOR PORCH	125	-48	-77	0
F) BASEMENT	0	0	0	0
G) ATTIC	0	0	0	0
H) GARAGE - ATTACHED	0	358	-200	158
I) GARAGE - DETACHED	532	-532	0	0
J) CARPORT - ATTACHED	0	0	0	0
K) CARPORT - DETACHED	0	0	0	0
L) ACCESSORY BUILDING(S)	0	0	0	0
TOTAL:	2237	461	-277	2421
TOTAL GROSS FLOOR AREA				35.57 %

INDEX OF DRAWINGS

ARCHITECTURAL

G000 COVER SHEET & SITE PLAN

PROJECT DATA

SCOPE OF WORK

OCCUPANCY TYPE: SF-3-NP RESIDENTIAL REMOVE EXISTING DETACHED GARAGE, FRONT PORCE NEMOVE EAS IND DE HACHEU GARAGE, FROM I PORCH AND SITE IMPROVEMENTS AS NOTED ON SITE PLAN. AD 27 SF TO 1ST FLOOR OF EXISTING 1-STORY RESIDENCE; ADD 666 SF AND STORY ADDITION; ADD 358 SF ATTACHEI GARAGE ADDITION; RECONSTRUCT FRONT PORCH; RENOVATE INTERIOR.

OWNER

SHERA & DAVID EICHLER 3002 BRYKER DR AUSTIN, TX 78703 T: 512.657.3730 / 512.496.6295


ARCHITECT

PORTER ARCHITECTURE + DESIGN, PLLC 1704 CLIFFORD AVE AUSTIN, TX 78702 T: 512.775.8986 caroline@porterarchitecture.com

STRUCTURAL ENGINEER

PROFESSIONAL DESIGN GROUP CONSULTING ENGS. 1705 S. CAPITAL OF TEXAS HWY., STE 150 AUSTIN, TX 78748 T: 512.487.0344

SYMBOLS LEGEND



MATERIALS LEGEND

	Gravel FII		Blocking
1888	Sand F∎		Finish Wood
	Concrete		Plywood
	Brick	200	Gypsum Board
\bowtie	CMU	微熱	Metal Lath and Plaster
	Glass		Rigid Insulation
Ш	Glass Block		Thermal Batt Insulation
	Steel	WW	Acoustic Batt Insulation
	Alumhum		Sprayed Insulation
пппппп		200	Estatus Where Nated

PORTER architecture + design 1704 CLIFFORD AVE AUSTIN, TX 78702 (512) 775-8986



Ш (a+d)

RESIDENC

ËR

Ш

3002 BRYKER DR AUSTIN, TX 78703

 \Box

Z

0

ഗ

ഗ

≥

≥

0

C

S


 \leq

 \mathbb{T}

⋖

≥

pda@pdgengr.com





ž	PLUS/MNUS DIAMETER
A/C	
AFF	AR CONDITIONER ABOVE FINISHED FLOOR
	AUTHORITY HAVING JURISDICTION
	CABINETS
	CELING
CONC.	CONCRETE
DN.	DOWN
ELEV.	ELEVATOR
EQUP.	EQUIPMENT
	EXISTING
	FIXTURES
	FLOOR
GYP.	GYPSUM
MECH	MECHANICAL
	MISCELLANEOUS
	ORIGINAL
	STAINLESS STEEL
	TYPICAL
U.N.O.	UNLESS NOTED OTHERWISE
W	WITH
WD.	WOOD

Z Ø

JULY 26, 202 DATE COVER SHEET & SITE PLAN & SITE CALCULATIONS G**000**

SUBMITTALS

GENERAL CONTRACTOR TO PROVIDE THE FOLLOWING SUBMITTALS TO THE OWNER AND/OR ARCHITECT PRIOR TO ORDERING OR FABRICATING:

- 1 DOOR & WINDOW SHOP DRAWINGS OR SPEC SHEETS
- 2. MILLWORK & CABINETRY SHOP DRAWINGS
- 2. MILLWORK & CABINETRY SHOP DRAWINGS.
 3. PAINT SAMPLES, 4"-0" X 4"-0" SQUARE (WALLS) OR AS MATERIAL ALLOWS.
 4. ELECTRICAL & LIGHTING FIXTURES SPEC SHEETS (CONTRACTOR PROVIDED
- FIXTURES).

 5. PLUMBING FIXTURES SPEC SHEETS (CONTRACTOR PROVIDED FIXTURES ONLY).

ELEMENT	MATERIAL
FOUNDATION	EXISTING & NEW PIER & BEAM; SLAB ON GRADE @ GARAGE, RE: STRUCT. DWGS.
FRAMING, WALLS	2X4 WD. FRAMING TYP., 2X6 @ PLUMB. WALLS, RE: PLANS
FRAMING, FLOORS	WD. TRUSSES, RE: STRUCT. DWGS. FOR SIZE/SPACING
FRAMING, ROOF	WD. FRAMING, RE: STRUCT, DWGS, FOR SIZE/SPACING
SHEATHING, WALLS	7/16* ZIP-SYSTEM SHEATHING
DECKING, FLOORS	1 1/8" T&G FLOORING
DECKING, ROOF	RE: STRUCT. DWGS.
WATER-RESISTIVE BARRIER	INTEGRAL WRB W/ ZIP SYSTEM; TAPE PER MANUF. INSTRUCTIONS
INSULATION	WALLS: R19 FULL CAVITY BATT INSULATION ROOF DECK: R25 MIN. OPEN CELL SPRAY FOAM
WALL FINISH, EXTERIOR	EXISTING MASONRY (LIMESTONE, RANDOM ASHLAR PATTERN) & WD. SIDING @ COVERED PORCH TO REMAIN; CLEAN ANDIOR REPAINT. NEW SIDING @ ADDITION & GABLES: HARDIE SMOOTH COLONIAL DUTCH LAP SIDING, RE: EXT. ELEVATIONS FOR LOCATIONS.
TRIM, EXTERIOR	HARDIE SMOOTH TRIM BOARDS, RE: EXT. ELEVATIONS
ROOFING	30 YEAR COMP. SHINGLE ROOFING
ROOF WATERPROOFING	GRACE ICE & WATER SHIELD
WINDOWS	RE: WINDOW SCHEDULE & NOTES FOR LOCATIONS & DETAILED SPECIFICATIONS
DOORS, EXTERIOR	RE: WINDOW SCHEDULE & NOTES FOR LOCATIONS & DETAILED SPECIFICATIONS
FLOORING, GENERAL	RE: ROOM & MATERIAL FINISH SCHEDULES
FLOORING, BATHS	RE: ROOM & MATERIAL FINISH SCHEDULES
WALL FINISH, INTERIOR	GYPSUM BOARD, LIGHT SAND TEXTURE
CEILINGS	GYPSUM BOARD, LIGHT SAND TEXTURE
TILE, BATH	RE: ROOM & MATERIAL FINISH SCHEDULES
TRIM, BASEBOARDS	MATCH EXISTING
TRIM, CASINGS	MATCH EXISTING
DOORS, INTERIOR, NEW	MATCH EXISTING SOLID WOOD; PREP & PAINT
DOORS, INTERIOR, EXISTING	TWO-PANEL SOLID WOOD; PREP & PAINT
DOOR HARDWARE, EXTERIOR	T.B.D.
DOOR HARDWARE, INTERIOR	T.B.D.

WINDOWS & DOORS - NOTES & SPECIFICATIONS

W	NE	OW	S	
_	Α	GE	N	ERA

CABINETRY

FULL OVERLAY, SHAKER, RE: INTERIOR ELEVATIONS

RE: ROOM & MATERIAL FINISH SCHEDULES

- LASSIFIANT SHOULD SHARE THE ASHING INSULATION & SEALAHT AS RECOMMENDED BY MANU.

 2. ALL WINDOWS SHALL BE TEMPERED WHERE REDICATED ON THE ARCHITECTURAL PLANS.
 WHERE NOT HOUGHTED, WINDOWS SHALL BE TEMPERED WHERE REQUIRED BY COOK.

 3. PIKOVIDE FALL PREVENTION HANDWARE AT OFERABLE WINDOWS WITH SELLS LOCATED
 LESS THAN 24 A ROWER THE RINGH LOCO, AT LOCATIONS GREATER THAN 27 ADOVE.

- 7. OWDROUTES RECEIVED GENERAL PROPOSOS

 ON CHEMICAL STATEMENT OF CHEMICAL PROPOSOS

 ON CHEMICAL STATEMENT OF CHEMICAL PROPOSOS

 A. INSTALLA WINDOWS WITH FLASHING, INSULATION & SEALANT AS RECOMMENDED BY MANUF.

 A. INSTALLA WINDOWS WITH FLASHING, INSULATION & SEALANT AS RECOMMENDED BY MANUF.

 A. INSTALLA WINDOWS WITH FLASHING, INSULATION & SEALANT AS RECOMMENDED BY CODE.

 I. INTERES TO PROPOSE STATEMENT OF A PROPOSE DUM.

 I. STATEMENT OF THE STATEMENT OF A PROPOSE DUM.

 I. MANUFACTURES

 I. MATERIAL STATEMENT OF A PROPOSE DUM.

 I. MANUFACTURES

 I. MATERIAL PREPOLADES & GLASS

 I. HINDOWS TERMINED COLOUR TAIL.

 I. GLASS SAN

 I. HINDOWS THE STATEMENT OF THE PROPOSE DUM.

 I. HINDOWS TERMINED COLOUR TAIL.

 I. HINDOWS TERMINED COLOUR TAIL.

 I. HINDOWS TERMINED COLOUR TAIL.

 I. GLASS SAN

 I. HINDOWS TAIL DESCRIPTION OF THE PROPOSE DUM.

 I. MANUFACTURES

 I. STATE TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MANUFACTURES

 I. MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 I. MANUFACTURES TO THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROME THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO PROPOSE THE STATEMENT OF THE PROPOSE DUM.

 II MATERIAL TO P

1	WIND	OW S	CHEDI	JLE						
•		111 PH	WINDOWS		TYPE	SIZE*		STYLE	NOTES	
		MARK	NEW	EXISTING	1 TYPE SIZE: M		MATERIAL	SIYLE	NOTES	
		1.01			A	4852	VINYL	SLIDER	1	
		1.02		•	A 4852 VINYL		SLIDER	1		
		1.03		•	B 3032 VINYL DO		DOUBLE-HUNG			
		1.04		•	С	3052	VINYL	DOUBLE-HUNG		
		1.05		•	С	3052	VINYL	DOUBLE-HUNG		
		1.06		•	С	3052	VINYL	DOUBLE-HUNG		
ı		1,07	•		D	2 - 3052	VINYL	CASEMENT	2, 3	
ł		1.08	•		D	2 - 3052	VINYL	CASEMENT	2, 3	
l	8	1.09	•		D	2 - 3052	VINYL	CASEMENT	2, 3	
1	FIRST FLOOR	1,10		•	A	4852	VINYL	SLIDER		
1	l is	1.11		•	C 3052		VINYL	DOUBLE-HUNG		
1	#	1.12		•	A	4852	VINYL SLIDER			
1		1.13			A	4852	VINYL	SLIDER		
1		1.14			NOT USED					
1		1.15	•		J1	2434	VINYL	CASEMENT		
1		1.16	•		F1	2 - 2434	VINYL	CASEMENT		
ł		1,17	•		G	3010	VINYL	FIXED		
l		1,18	•		G	3010	VINYL	FIXED		
1		1,19	•		G	3010	VINYL	FIXED		
l		1.20	•		Н	1844	VINYL	CASEMENT		
l		2.01	•		F2	2 - 2444	VINYL	CASEMENT	1	
ł	l l	2.02			J2	2444	VINYL	CASEMENT		
ł	5	2.03			К	2410	VINYL	FIXED		
ł	SECOND FLOOR	2.04	•		К	2410	VINYL	FIXED		
ł	🕺	2.05	•		F2	2 - 2444	VINYL	CASEMENT	1	
l	<u>0</u>	2.06	•		F2	2 - 2444	VINYL	CASEMENT	1	
1	I "	2.07			E2	2 2444	VINYI	CASEMENT	1	

2.07 • F2 2 - 2444

VINYL

CASEMENT

NOTES: 1. EGRESS WINDOW

2. EXISTING MACORYT O'PENING

3. INSTALL FREFACEMENT STYLE WIN'L WINDOWS AT THESE LOCATIONS. EXISTING EXTERIOR MASORRY & INTERIOR WID, CASINGS TO REMAIN

DOOF	R SCHI	EDULE
		DOORS

	#	DO	DOORS		INGS	TYPE	SIZE	THICKNESS	MATERIAL	HARDWARE	NOTES
	-	NEW	EXISTING	NEW	EXISTING	ITPE	SIZE	ITHUNNESS	MATERIAL	SET	NOIES
	101		•		•	1	3068	1 3/4"	WD.	EXIST.	2
	102R		•	•		2	2668	1 3/4"	WD.	EXIST.	1, 2
	103R		•	•		2	2668	1 3/4"	WD.	EXIST.	1, 2
	104			•		3	2868	1 3/4"	FIBERGLASS	#	FIRE RATED DOOR
8	105	•		•		4	2868	1 3/4"	WD./GLASS	#	
j.	106R		•	•		2	2868	1 3/4"	WD.	EXIST.	1, 2
FIRST FLOOR	107R		•	•		2	2068	1 3/4"	WD.	EXIST.	1, 2
₩.	108R		•	•		2	2668	1 3/4"	WD.	EXIST.	1, 2
	109			•		2	2068	1 3/4"	WD.	#	
	110		•		•	2	2668	1 3/4"	WD.	EXIST.	2
	111	•		•		3	3068	1 3/4"	FIBERGLASS	#	
	112			•		5	10080	-	FIBERGLASS	-	OVERHEAD DOOR
	201			•		6	2468	1 3/4"	WD.	#	POCKET DOOR
FLOOR	202R		•	•		2	2068	1 3/4"	WD.	EXIST.	1, 2
Ę	203R		•	•		2	2868	1 3/4"	WD.	EXIST.	1, 2
SECOND	204	•		•		7	2868	1 3/4"	WD.	W	BYPASS DOOR
ŭ,	205R		•			2	2068	1 3/4"	WD.	EXIST.	1, 2
000	206	•				7	2068	1 3/4"	MDF	#	BYPASS DOOR
NOTES: 1. REINSTALL SALVAGED DOOR & FRAME IN NEW LOCATION, RE: DEMO & FPs 2. PREP & PAINT EXISTING AND REINSTALLED DOORS, CASINGS, AND HARDWARE											

PORTER architecture + design 1704 CLIFFORD AVE AUSTIN, TX 78702 (512) 775-8986



Ш \Box

Z

<u>S 10</u>

OMMIS

O

S

 \checkmark

 Ξ

 \triangleleft ≥

Z


(a+d)


RESIDENCE 3002 BRYKER DR AUSTIN, TX 78703 EICHLER

ATE	OF TEXA
REVISIONS	
JOB NO.	1909
DATE	JULY 26, 2020

SPECIFICATIONS

G**002**





PORTER architecture + design 1704 CLIFFORD AVE AUSTIN, TX 78702 (512) 775-8986

DEMO LEGEND

---- ELEMENT TO BE REMOVED

EXISTING WALLS TO REMAIN

X X EXIST. DOORWINDOW TO REMAIN

DOOR, FRAME, & CASINGS TO BE REMOVED, UNLESS NOTED OTHERWISE

____ WALL TO BE REMOVED



Ш $\mathbf{\Xi}$ Z COMMISSIO EICHLER RESIDENCE

ARKS


≥

Z

3002 BRYKER DR AUSTIN, TX 78703


DATE JULY 26, 202 DEMOLITION FLOOR PLAN

D101



WEST ELEVATION

1/4" = 1'-0" (2)




≥ Ш (a+d)Ш Ξ COMMISSION ANDMARKS


EICHLER RESIDENCE 3002 BRYKER DR AUSTIN, TX 78703

PORTER architecture + design 1704 CLIFFORD AVE AUSTIN, TX 78702 (512) 775-8996

DATE JULY 26, 202 PROPOSED ELEVATIONS: EAST & WEST

A201





EICHLER RESIDENCE

PORTER architecture + design 1704 CLIFFORD AVE AUSTIN, TX 78702 (512) 775-8986

(a+d)

3002 BRYKER DR AUSTIN, TX 78703

DATE JULY 26, 202 TITLE PROPOSED

ELEVATIONS: NORTH & SOUTH

A202

1/4" = 1'-0" (1)


NORTH ELEVATION

3002 Bryker Dr. Austin, TX 78703 Partial Demolition photos

FIGURE 1 – VIEW FROM FRONT, EAST ELEVATION



FIGURE 2 – VIEW FROM SOUTHEAST ELEVATION (SHOWING GARAGE AT REAR)



REMOVE DETACHED FIGURE: GARAGE

AST ELEVATION

VINYL WINDOWS TO BE REPLACED IN EXISTING MASONRY OPENING



PORCH TO BE RECONSTRUCTED IN SIMILAR STYLE W/ SMALLER FOOTPRINT

FIGURE 4 – SOUTH ELEVATION



FIGURE 5 –WEST ELEVATION

ROOF TO BE MODIFIED, RE: ELEVATIONS





FIGURE 8 – NORTH ELEVATION



VINYL WINDOW TO BE REPLACED IN EXISTING MASONRY OPENING

ROOFLINE TO BE MODIFIED, RE: ELEVATIONS



